



Security Direct
property protection

Large Product Range ☐
Competitive Prices ☐
25 years Experience ☐

High Speed Curtains



SECURITYDIRECT
Specialist Security Solutions

High Speed - Curtains



Key Benefits

- Warehouses, Loading Bays, Food Production
- High Speed to reduce energy costs
- Low Security
- Solid or Vision Laths
- Up to 10m wide
- Internal and Externally Fitted options
- 3 Phase Industrial Motors
- 5 Standard Colours
- 4 week lead time (Subject to change)

High Speed - Curtains



Product Overview

Description

The Flexible High Speed Curtain is ideal when you are trying to reduce heat loss with a high volume of traffic going through the door. The High Speed Curtain does operate quicker than a High Speed Roller Shutter and it uses a smaller box. The curtain is a strong flexible fabric, with the option of vision windows, ideal for Pedestrian and Vehicle traffic. The high speed curtains also have the option of self repair. If hit by an object and knocked off the guide rails, it self repairs by opening and closing curtain.

Common use

Factories, Loading Bays, Warehouses

Maximum Width

10000mm

Maximum Height

7000mm

Weight

5-10kgs m/2

Standard Finish

Zinc Yellow, Pure Orange, Carmine Red, Gentian Blue, Agate Grey

Lead Time

20 working days (subject to change)

High Speed - Curtains



Specification

CURTAIN SLAT

We have a large range of flexible fabric curtains that are used with the High Speed Curtains. The material will depend on the application, size of the opening and if the curtain is fitted on an internal or external installation.

Solid Curtains - Ideal for pedestrian only applications. Fly mesh can also be incorporated into the curtain.



V 5015 SEL
Optional fly-protection curtain instead
of the vision panel

Vision Panels - Ideal for High Vehicle Traffic, Safety or Monitoring.



High Speed - Curtains



Specification

SAFETY AS STANDARD

Non-contact safety Safety light grilles integrated into the side assemblies monitor the closing zone of the door leaf up to a height of 2500 mm. The safety light grilles ensure compliance with safety requirements according to DIN EN 13241-1. This does away with the need for additional installations on the door (e.g. closing edge safety device or photocell). Profit from this high level of safety with a high-speed door that is exceptionally easy to fit and service. It pays to compare!



OPTIMISED AND MONITORED DOOR FUNCTION

Long service life and high efficiency The frequency converter control takes stress off the entire door mechanism, guaranteeing nearly wear-free, quiet door travel. High opening and closing speeds optimise your operations and reduce heat loss.

Door function monitoring via the online portal With the optional SmartControl, you or your service partner can use a web browser to perform a technical analysis of the doors, at any time and worldwide, with all important information, such as error messages or door cycles. This reduces the costs involved with service visits and allows them to be planned efficiently. In addition, errors in the operator control can be corrected in many cases via online access.





Specification

Practical Solutions

No downtimes resulting from a crash thanks to the SoftEdge bottom profile. The innovative SoftEdge door technology prevents damage and resulting downtimes of the door system. Extensive repairs, such as those with rigid door profiles, usually do not become necessary. SoftEdge ensures trouble-free operation and production processes.



Innovative Details

Radio crash switch The radio crash switch is concealed in the SoftEdge bottom profile. If the bottom profile is pushed out of the side guides during a crash, the radio crash switch transmits a signal to the control and the door is stopped immediately, fulfilling the requirements of DIN EN 13241-1. It pays to compare!



High Speed - Curtains



Specification

OPERATION

All the High Speed Curtains are powered using 3 Phase motors with an emergency override.

The High Speed Curtains come as standard with a Push Button Station for internal, non secure operation. There is the option of External Key Switch, Keypads, Remote Control, Presence and Motion Detection for Vehicles/Pedestrians.

We also have a large range of Safety Devices for the industrial doors, depending on the application. Options include Safety Edge, Photo Cells, Light Grilles, Trap Sensors and Lazer Sensors.





Colours - Extra Cost

Colours - The High Speed Curtains are available in the following colours.

